



## **Sargent Art General Conformity Certificate Consumer Product Safety Improvement Act of 2008**

1. Product covered by this certificate:

**SKU: 23-0299**

**Description: 10 ct. 75mL Tube Acrylic Set**

2. Complies with the following applicable consumer product safety rules or similar rules, standards, or regulations:

**16 CFR 1303** Ban of lead containing paint and certain consumer products bearing lead

**CPSIA Sec. 101(a)** General lead ban

3. Manufacturer/Private Labeler/Importer certifying compliance:

**Sargent Art**

**100 East Diamond Avenue**

**Hazleton, PA 18201**

**(570)-454-3596**

**Contact: Stephen Sanchez**

**e-mail: [stephen.sanchez@sargentart.com](mailto:stephen.sanchez@sargentart.com)**

4. Place of manufacture: **Mumbai, India**

Date of manufacture: **February 2015**

5. Date and place product was tested for compliance with the regulation(s) cited above:

Testing Lab: **Kirby Memorial Health Center**

**Paint** - Report Date: **03/05/2013**

**Plastic Parts** – Report Date: **03/14/2013**

**Label** – Report Date: **03/12/2013**

6. Identification of any third-party laboratory on whose testing the certificate depends:

**Kirby Memorial Health Center, 71 N. Franklin Street, Wilkes-Barre, PA 18701**

**Tel: (570) 823-5450**